



Natural Water Retention Measures

Web-based knowledge
Community of practice
NWRM practical guide



Pilot Project - Atmospheric Precipitation - Protection and efficient use of Fresh Water: Integration of Natural Water Retention Measures in River basin management

Service contract n°ENV.D.1/SER/2013/0010

Are NWRM “good candidates” for reaching the goals of the WFD and FD cost-effectively?

Food for thoughts

Pierre Strosser
ACTeon, France

Linking Floods Directive and Water Framework Directive
October 8th & 9th, 2014 – Rome, Italy



Why have NWRM “emerged”?

Widening the regulatory framework & policy objectives

Birds/habitats



WFD



Floods



Climate change



Urban dev.



Giving more room to soft measures (nature)



Making « best use » of (scarce) financial resources



What are NWRM? (1)

Natural Water Retention Measures are multi-functional measures that aim to protect water resources and address water-related challenges by restoring or maintaining ecosystems as well as natural features and characteristics of water bodies using natural means and processes.

The main focus of applying NWRM is to enhance the retention capacity of aquifers, soil, and aquatic and water dependent ecosystems with a view to improve their status. The application of NWRM supports green infrastructure, improves the quantitative status of water bodies as such, and reduces the vulnerability to floods and droughts. It positively affects the chemical and ecological status of water bodies by restoring natural functioning of ecosystems and the services they provide. The restored ecosystems contribute both to climate change adaptation and mitigation.


Source: EU Policy document (forthcoming)

What are NWRM? (2)

Type	Class	Non-exhaustive list of examples		
Direct modification in ecosystems	Hydro-morphology (Rivers, Lakes, Aquifers, connected wetlands)	Restoration and maintenance of rivers, lakes, aquifers and connected wetlands; Reconnection and restoration of floodplains and disconnected meanders, elimination of riverbank protection...		
	Agriculture	Restoration and maintenance of meadows, pastures, buffer strips and shelter belts; Soil conservation practices (crop rotation, intercropping, conservation tillage...), green cover, mulching...		
Change & adaptation in land-use & water management practice	Afforestation of upstream catchments; targeted planting for "catching"			
	NWRM	Description	Potential primary benefits	
	Reconnection of disconnected meanders 	The re-connection of meanders to the main channel will improve lateral connectivity, diversifying flows and habitats, but also cleaning the secondary arms that can retain water during peak water flow periods.	Enhanced conveyance potential & river continuity, peak runoff attenuation, sustainable drainage, maintenance of base flow, groundwater recharge	
	Conservation tillage 	By leaving crop residue on the soil surface, conservation tillage slows water movement and reduces soil erosion.	Water quality improvement, Decrease of runoff, Soil conservation, increase infiltration potential	
Installation of green roofs 	The vegetation on top of a building or structure intercepts and retains precipitation. Green roofs hence reduce peak flows and pollutant loads and soften extreme temperature in cities.	Sustainable Drainage & Runoff Control, amenity space; Water quality improvement		

Are NWRM new?

- No... as these measures do already exist and are implemented as part of sector plans/strategies
 - ◆ Think of.... *Green Infrastructure, Room for the River, Ecosystem-based Adaptation, Natural Flood Risk Management, Sustainable Drainage...*
- What changes is the way we look at them, focusing on “retention” and on the multiple benefits these measures can deliver





Are NWRM cost-effective solutions? (1)

- What would be your answer?

Are NWRM cost-effective solutions? (2)

- A quiz from Carlos M. GOMEZ (IMDEA):
do you know:
 - ◆ Usain Bolt?
 - ◆ Ashton Eaton?

Are NWRM cost-effective solutions? (2)

- Answer 1 – Yes, they are!

The village of Belford, downstream, had a history of flooding. The costs of conventional flood defence improvements have been estimated at around 3 M€. In contrast, upstream NWRMs were estimated to deliver the same level of flood protection at a cost below 0.25 M€.




Are NWRM cost-effective solutions? (3)

- Answer 2 – No, they are not!

When land costs are significant in particular in peri-urban areas, then reducing flood risk by giving more space to rivers can be less cost-effective than with more traditional measures.

Are NWRM cost-effective solutions? (5)


- Answer 4 – It also depends... on what you consider in your assessment. Contributing to a single policy goal, or contributing to several policy goals and accounting for the multi-benefits of NWRM?



Are NWRM cost-effective solutions? (5)

- Answer 4 – It also depends... on what you consider in your assessment. Contributing to a single policy goal, or contributing to several policy goals and accounting for the multi-benefits of NWRM?

Use of sand/gravel substrate to filter outflow can significantly reduce sediment delivery during storm events



Are NWRM cost-effective solutions? (6)

- Finally.... who is Ashton Eaton?



World record in both the decathlon and heptathlon events



Any question, comments?

To be developed during the session



Moving to the session itself

What can NWRM effectively deliver? Impacts on biophysical processes and on WFD and FD indicators (Sonia Siauve – OIEau, NWRM pilot project)

Selecting NWRM in join planning for RBMP and FRMP - the experience from Austria (Clemens Neuhold, Austria)

Additional experiences and input from participants

Pre-conditions for supporting the design and implementation of NWRM (Pierre Strosser - ACTeon, NWRM pilot project)

Interactive Session: Identifying priorities for enhancing the knowledge base

Final discussion (key messages, additional issues, what could be "next" for the CIS process, RTD, innovation platforms, etc.)